

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	2	propagation with delay\$3 with electric\$4 with communication\$1 with transmitter\$1 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:16	
2	BRS	1	propagation with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:17	
3	BRS	47	propagation with delay\$3 with electric\$4 with communication\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:26	
4	BRS	8	propagation with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:27	
5	BRS	8	propagation with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	26	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:50	
7	BRS	9	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:02	
8	BRS	2	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2 and clock\$1 with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:03	
9	BRS	0	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	585	propagat\$4 with delay\$3 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 13:03	
11	BRS	19	propagat\$4 with delay\$3 and electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:16	
12	BRS	6	propagat\$4 with delay\$3 and communication\$1 with transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:17	
13	BRS	12	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 14:35	
14	BRS	208	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 13:17	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	118	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:18	
16	BRS	49	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:18	
17	BRS	1	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and ideal with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:36	
18	BRS	3	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	24	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and initial with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	
20	BRS	2	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and initial adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	
21	BRS	1	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with initial with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	19	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with (ideal or initial or desired or reference or expected or predetermined or preset\$4 or predefined) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	
23	BRS	19	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with (ideal or desired or reference or expected or predetermined or preset\$4 or predefined) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	7	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	
25	BRS	60	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
26	BRS	4	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3) with (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	
27	BRS	2	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
28	BRS	3	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:40	
29	BRS	4	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3) with propagat\$4 same delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	7	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 same delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:47	
31	BRS	37	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	3	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
33	BRS	7	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	28	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
35	BRS	12	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	1	transmitter\$1 with receiver\$1 with sequence with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
37	BRS	2	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (compute\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
38	BRS	2	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and determin\$3 with bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	3	transmitter\$1 with receiver\$1 with bit\$1 and bit\$1 with sequence\$1 and increment\$3 with clock\$1 with count\$3 and bit\$1 with (location\$1, or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	3	transmitter\$1 with receiver\$1 and bit\$1 with generat\$3 and bit\$1 with sequence\$1 and increment\$3 with clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
41	BRS	11	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (compute\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:00	
42	BRS	642	702/68, 69, 176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:47	
43	BRS	7057	375/259, 346, 354, 355, 350.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:47	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
44	BRS	302	714/781.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 12:47	
45	IS&R	5	((("5268949") or ("5748672") or ("5761216") or ("6661836") or ("6694462")).PN.	USPAT	2005/10/13 15:02	
46	BRS	2	S61 and transmitter\$1 and receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 15:03	
47	BRS	2	propagation with delay\$3 with electric\$4 with communication\$1 with transmitter\$1 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:16	
48	BRS	1	propagation with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:18	
49	BRS	48	propagation with delay\$3 with electric\$4 with communication\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 12:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
50	BRS	8	propagation with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:27	
51	BRS	672	702/68, 69, 176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:47	
52	BRS	7346	375/259, 346, 354, 355, 350.cc ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:47	
53	BRS	316	714/781.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:47	
54	BRS	8	propagation\$4 with delay\$3 with electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:50	
55	BRS	26	propagation\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 12:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
56	BRS	9	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:03	
57	BRS	2	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2 and clock\$1 with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:03	
58	BRS	0	propagat\$4 with delay\$3 and electric\$4 with communication\$1 with transmitter\$1 with receiver\$1 and bit\$1 with sequenc\$2 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:03	
59	BRS	628	propagat\$4 with delay\$3 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
60	BRS	4423	propagat\$3 with delay\$3 same transmit\$4 with receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:04	
61	BRS	910	propagat\$3 with delay\$3 same transmit\$4 with receiv\$3 and bit\$1 with generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:05	
62	BRS	19	propagat\$4 with delay\$3 and electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:16	
63	BRS	0	propagat\$4 with delay\$3 and electric\$4 with communication\$1 and transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:17	
64	BRS	12	propagat\$4 with delay\$3 and communication\$1 with transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 13:17	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
65	BRS	222	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 13:17	
66	BRS	129	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 13:18	
67	BRS	60	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 14:23	
68	BRS	19	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and ideal adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/10/13 14:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
69	BRS	1	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and ideal with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:36	
70	BRS	3	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and ideal with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	
71	BRS	24	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and initial with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
72	BRS	2	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and initial adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	
73	BRS	1	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with initial with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:37	
74	BRS	19	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with (ideal or initial or desired or reference or expected or predetermined or preset\$4 or predefined) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
75	BRS	19	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (compar\$4 or differen\$2) with (ideal or desired or reference or expected or predetermined or preset\$4 or predefined) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	
76	BRS	7	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) adj delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
77	BRS	62	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	
78	BRS	4	propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3) with (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
79	BRS	2	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:40	
80	BRS	3	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
81	BRS	4	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3) with propagat\$4 same delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:47	
82	BRS	7	transmitter\$1 with receiver\$1 and clock\$1 adj count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 same delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
83	BRS	40	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
84	BRS	3	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
85	BRS	10	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with (ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:52	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
86	BRS	37	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and .(comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:52	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
87	BRS	3	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
88	BRS	10	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 with(ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
89	BRS	37	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
90	BRS	15	transmitter\$1 with receiver\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
91	BRS	1	transmitter\$1 with receiver\$1 with sequence with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
92	BRS	2	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (compute\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 14:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
93	BRS	2	transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and determin\$3 with bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
94	BRS	3	transmitter\$1 with receiver\$1 with bit\$1 and bit\$1 with sequence\$1 and increment\$3 with clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
95	BRS	3	transmitter\$1 with receiver\$1 and bit\$1 with generat\$3 and bit\$1 with sequence\$1 and increment\$3 with clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) with error\$1 and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
			transmitter\$1 with receiver\$1 with bit\$1 and clock\$1 with count\$3 and bit\$1 with (location\$1 or address\$2 or position\$1) and error\$1 with sequence and (comput\$3 or calculat\$3 or determin\$3 or measur\$6) with propagat\$4 with delay\$3 and (initial or ideal or desired or reference or expected or predetermined or preset\$4 or predefined or threshold) with delay\$3 with value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:01	
96	BRS	12	((("5268949") or ("5748672") or ("5761216") or ("6661836") or ("6694462")).PN.	USPAT	2005/10/13 15:02	
97	IS&R	5	((("5268949") or ("5748672") or ("5761216") or ("6661836") or ("6694462")).PN.	USPAT	2005/10/13 15:03	
98	IS&R	5	((("5268949") or ("5748672") or ("5761216") or ("6661836") or ("6694462")).PN.	USPAT	2005/10/13 15:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
99	BRS	2	S125 and transmitter\$1 and receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:03	
100	BRS	0	propagat\$3 with delat\$3 and transmitter\$1 same receiver\$1 and (controller\$1 or processor\$1 or microprocessor\$1) with bit\$1 with identical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:07	
101	BRS	0	propagat\$3 with delat\$3 and transmitter\$1 same receiver\$1 and (controller\$1 or processor\$1 or microprocessor\$1) with bit\$1 with error\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:07	
102	BRS	215	propagat\$3 with delay\$3 and transmitter\$1 same receiver\$1 and (controller\$1 or processor\$1 or microprocessor\$1) with bit\$1 with error\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
			propagat\$3 with delay\$3 and transmitter\$1 same receiver\$1 and (controller\$1 or processor\$1 or microprocessor\$1) with bit\$1 with identical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:07	
103	BRS	35	propagat\$3 with delay\$3 and transmitter\$1 same receiver\$1 and (controller\$1 or processor\$1 or microprocessor\$1) with bit\$1 with identical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:07	
104	BRS	26	propagat\$3 with delay\$3 and transmitter\$1 same receiver\$1 and (controller\$1 or processor\$1 or microprocessor\$1) with bit\$1 with identical and clock\$1 with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:07	
			propagat\$3 with delay\$3 and transmitter\$1 same receiver\$1 and (controller\$1 or processor\$1 or microprocessor\$1) with (predetermined or preset\$4 or predefined or desired or expected or reference\$1 or threshold\$1) with bit\$1 with error\$1 and clock\$1 with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/13 15:08	
105	BRS	3				

	Type	Hits	Search Text	DBs	Time Stamp	Comments
106	BRS	8333	702/68,69,176.ccls. or 375/259,346,354,355,350.cc ls. or 714/781.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/14 09:25	
107	BRS	307	(702/68,69,176.ccls. or 375/259,346,354,355,350.cc ls. or 714/781.ccls.) and propagat\$4 with delay\$3 and transmitter\$1 same receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/14 09:26	
108	BRS	301	(702/68,69,176.ccls. or 375/259,346,354,355,350.cc ls. or 714/781.ccls.) and propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/14 09:26	
109	BRS	77	(702/68,69,176.ccls. or 375/259,346,354,355,350.cc ls. or 714/781.ccls.) and propagat\$4 with delay\$3 and transmitter\$1 with receiver\$1 and clock\$1 with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/10/14 09:26	

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1			US 2005022635 0 A1	20051013	10	Synchronous detector with high accuracy in detecting synchronization and a method therefor	375/317	375/354	375/354
2	X		US 2005019592 8 A1	20050908		Transmission apparatus	375/354		375/354
3	X		US 2005013552 3 A1	20050623		Methods and arrangements for link power reduction	375/354		375/354
4	X		US 2005000248 1 A1	20050106	30	Two-way RF ranging system and method for local positioning	375/354	342/118; 375/219	375/354
5	X		US 2004023400 0 A1	20041125		Data communication	375/259		375/259
6	X		US 2004019066 6 A1	20040930		Ultra wide band transmitter	375/354		375/354
7	X		US 2004017963 6 A1	20040916		Method and apparatus for adaptive equalization of high speed data communications	375/346	375/232	375/346

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
			US 2004015326 7 A1	20040805	22	System, and method of testing a transceiver	702/69		702/69
8	X		US 2004015326 7 A1	20040805	22	System, and method of testing a transceiver	702/69		702/69
9	X	X	US 2004012260 7 A1	20040624	16	System and method of measuring a signal propagation delay	702/69		702/69
10	X		US 2004012040 9 A1	20040624		Impulse response shortening and symbol synchronization in OFDM communication systems	375/260	375/231; 375/350	375/350
11	X		US 2004007124 6 A1	20040415		Wireless local area network apparatus	375/354		375/354
12	X		US 2003021075 5 A1	20031113		Data and clock synchronization in multi-channel communications	375/354		375/354
13	X		US 2003019830 9 A1	20031023		Channel time calibration means	375/354		375/354
14	X		US 2003012878 3 A1	20030710		Precision timing generator apparatus and associated methods	375/355		375/355

	U	1	Document ID	Issue Date	Page s	Title	Current OR	Current XRef	Retrieval Classif
15	X		US 2003011290 9 A1	20030619	16	Apparatus for data recovery in a synchronous chip-to-chip system	375/355		375/355
16	X		US 2003008651 5 A1	20030508	196	Channel adaptive equalization precoding system and method	375/346		375/346
17	X		US 2003007691 0 A1	20030424		Correction of code drift in a non-coherent memory	375/354	708/422	375/354
18	X		US 2003001677 0 A1	20030123	195	Channel equalization system and method	375/346		375/346
19	X		US 2002019688 3 A1	20021226	16	Apparatus for data recovery in a synchronous chip-to-chip system	375/355	375/149	375/355
20	X		US 2002018163 3 A1	20021205	121	Means and method for a synchronous network communications system	375/354		375/354
21	X		US 2002007597 6 A1	20020620		Precision timing generator system and method	375/354	370/503	375/354

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval 1 Classif
22	X		US 2002007150 9 A1	20020613		Precision timing generator apparatus and associated methods	375/355		375/355
23	X		US 2001004872 4 A1	20011206		Configurable all-digital coherent demodulator system for spread spectrum applications	375/322	375/350	375/350
24	X	X	US 2001004626 6 A1	20011129	149	Apparatus and method for scdma digital data transmission using orthogonal codes and head end modem with no tracking loops	375/259	375/354; 375/371	375/259; 375/354
25	X		US 2001003867 4 A1	20011108	110	MEANS AND METHOD FOR A SYNCHRONOUS NETWORK COMMUNICATIONS SYSTEM	375/355	370/503; 375/371	375/355
26	X	X	US 2001002447 4 A1	20010927	149	Apparatus and method for trellis encoding data for transmission in digital data transmission systems	375/259	375/354	375/259; 375/354

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
27	X		US 2001000800 1 A1	20010712		Switching system and scramble control method	710/316	370/515; 714/781	714/781
28	X	X	US 2001000161 6 A1	20010524	149	Apparatus and method for SCDMA digital data transmission using orthogonal codes and a head end modem with no tracking loops	375/259	375/344	375/259
29	X		US 6950485 B2	20050927		Precision timing generator apparatus and associated methods	375/355		375/355
30	X		US 6904110 B2	20050607	183	Channel equalization system and method	375/350	375/229	375/350
31	X	X	US 6851086 B2	20050201	60	Transmitter, receiver, and coding scheme to increase data rate and decrease bit error rate of an optical data link	714/781	714/786	714/781

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
32	X		US 6841983 B2	20050111		Digital signal to pulse converter and method of digital signal to pulse conversion	323/322	331/42; 365/226; 375/355	375/355
33	X		US 6836503 B2	20041228	17	Apparatus for data recovery in a synchronous chip-to-chip system	375/355	370/517; 375/360; 375/362; 375/375; 714/731; 714/744	375/355
34	X		US 6735248 B2	20040511		Fast converging equalizer for a demodulator	375/232	375/350	375/350
35	X		US 6707867 B2	20040316		Wireless local area network apparatus	375/354	370/503; 375/356	375/354
36	X		US 6636573 B2	20031021		Precision timing generator system and method	375/355	375/371	375/355
37	X		US 6606360 B1	20030812		Method and apparatus for receiving data	375/354		375/354
38	X		US 6577691 B2	20030610		Precision timing generator apparatus and associated methods	375/355	375/373	375/355

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
39	X		US 6570944 B2	20030527	15	Apparatus for data recovery in a synchronous chip-to-chip system	375/355	327/161; 327/162; 370/517; 375/360; 375/362; 375/375; 714/731; 714/744	375/355
40	X		US 6549595 B1	20030415		High-speed serial data communication system	375/360	375/355	375/355
41	X		US 6539052 B1	20030325		System for accelerating the reconfiguration of a transceiver and method therefor	375/225	370/505; 375/219; 375/259; 375/295; 375/316; 455/422.1	375/259
42	X	X	US 6493653 B1	20021210	16	Tapped delay line high speed register	702/176	327/261	702/176
43	X		US 6476615 B1	20021105		Device for testing dynamic characteristics of components using serial transmissions	324/537	324/76.59; 375/224; 375/259	375/259

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
44	X		US 6400754 B2	20020604		Spread spectrum localizers	375/140	327/142; 327/160; 327/291; 331/173; 375/354; 713/400; 713/502	375/354
45	X		US 6389078 B1	20020514		Configurable circuits for field programmable radio frequency communications equipment and methods therefor	375/259	375/377; 710/104; 713/100	375/259
46	X		US 6377640 B2	20020423	117	Means and method for a synchronous network communications system	375/354	370/286; 370/289	375/354
47	X		US 6363128 B1	20020326		Multi-carrier transmission systems	375/355	370/480; 370/508; 375/376	375/355
48	X		US 6320903 B1	20011120		Multi-carrier transmission systems	375/232	375/260; 375/350	375/350
49	X		US 6304623 B1	20011016	39	Precision timing generator system and method	375/355	375/371	375/355

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
50	X		US 6292654 B1	20010918		Digital noise blanker for communications systems and methods therefor	455/223	375/346; 455/222; 455/296; 455/501	375/346
51	X		US 6219376 B1	20010417		Apparatuses and methods of suppressing a narrow-band interference with a compensator and adjustment loops	375/148	375/285; 375/346; 375/350; 455/296; 455/306	375/346; 375/350
52	X		US 6178207 B1	20010123		Aircraft combat training signal processing system	375/259	342/450; 375/316	375/259
53	X		US 6047021 A	20000404		Methods and apparatus for exchanging data	375/220	375/355; 713/400	375/355
54	X		US 5995135 A	19991130		Digital television receiver with adaptive filter circuitry for suppressing NTSC Co-channel interference	348/21	348/607; 375/348; 375/350	375/350

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
55	X		US 5953384 A	19990914		Automatic measurement of GPS cable delay time	375/354	342/352; 375/356; 455/502	375/354
56	X		US 5923455 A	19990713		Data identifying device and light receiver using the same	398/202	370/517; 375/354; 398/154; 398/155	375/354
57	X		US 5859881 A	19990112		Adaptive filtering method and apparatus to compensate for a frequency difference between two clock sources	375/350	341/100; 375/333; 375/375; 375/376	375/350
58	X		US 5835131 A	19981110		Digital television receiver with adaptive filter circuitry for suppressing NTSC co-channel interference	348/21	348/607; 375/348; 375/350	375/350
59	X		US 5832031 A	19981103		Method and apparatus for performing cyclic redundancy check synchronization	375/262	375/341; 375/354; 714/758; 714/775	375/354

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
60	X		US 5822329 A	19981013		Data-transmitter-receiver	714/700	375/224; 375/226; 375/354; 714/819; 714/821	375/354
61	X		US 5796792 A	19980818		Data identifying device and light receiver using the same	375/354	370/516; 370/517; 370/518	375/354
62	X		US 5761254 A	19980602		Digital architecture for recovering NRZ/NRZI data	375/355	375/371; 375/376	375/355
63	X		US 5692166 A	19971125		Method and system for resynchronizing a phase-shifted received data stream with a master clock	713/400	375/355; 375/371; 375/375; 713/503	375/355
64	X		US 5684838 A	19971104		Receiving device for sampling data bits at a preferred time	375/342	341/53; 375/316; 375/355	375/355
65	X		US RE35607 E	19970916		Distance measuring method and apparatus therefor	702/158	324/326; 342/145; 342/22; 367/99; 702/176	702/176

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
66	X		US 5592518 A	19970107		Parallel frame synchronizer for detecting forward-ordered/reverse-ordered, inverted/non-inverted data	375/368	370/509; 375/354; 375/366	375/354
67	X		US 5586150 A	19961217		Method and apparatus for symbol synchronization in multi-level digital FM radio	375/354	375/293; 375/357; 375/359	375/354
68	X		US 5428638 A	19950627		Method and apparatus for reducing power consumption in digital communications devices	455/522	340/7.32; 375/285; 375/295; 375/297; 375/340; 375/354; 455/231	375/354
69	X		US 5365547 A	19941115		1X asynchronous data sampling clock for plus minus topology applications	375/259	327/291; 375/354	375/259; 375/354
70	X		US 5327466 A	19940705		1X asynchronous data sampling clock	375/354	326/93; 327/141; 370/517; 375/371	375/354

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
71	X		US 5319679 A	19940607	11	Method and apparatus for recovering data from a radio signal	375/354	327/1; 327/91; 375/362	375/354
72	X		US 4941155 A	19900710		Method and circuitry for symbol timing and frequency offset estimation in time division multiple access radio systems	375/330	375/344; 375/355; 375/373	375/355
73	X		US 4821291 A	19890411		Improvements in or relating to signal communication systems	375/259	340/5.91; 340/825.73; 455/526	375/259
74	X		US 4804938 A	19890214		Distribution energy management system	370/276	307/11; 340/3.21; 340/310.16; 375/141; 375/259	375/259
75	X		US 4694291 A	19870915		Device for transmitting a clock signal accompanied by a synchronization signal	340/825.2	370/503; 370/529; 375/211; 375/354	375/354
76	X		US 4530088 A	19850716		Group coding system for serial data transmission	370/522	375/259	375/259

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
77	X		US 4171513 A	19791016		Secure communications system	380/43	375/354; 380/260; 380/46	375/354

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1			US 2005022635 0 A1	20051013	10	Synchronous detector with high accuracy in detecting synchronization and a method therefor	375/317	375/354	375/354
2	X		US 2005019592 8 A1	20050908	18	Transmission apparatus	375/354		375/354
3	X		US 2005013552 3 A1	20050623	12	Methods and arrangements for link power reduction	375/354		375/354
4	X		US 2005000248 1 A1	20050106	30	Two-way RF ranging system and method for local positioning	375/354	342/118; 375/219	375/354
5	X		US 2004023400 0 A1	20041125	87	Data communication	375/259		375/259
6	X		US 2004019066 6 A1	20040930	22	Ultra wide band transmitter	375/354		375/354
7	X		US 2004017963 6 A1	20040916	10	Method and apparatus for adaptive equalization of high speed data communications	375/346	375/232	375/346

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
8	X		US 2004015326 7 A1	20040805	22	System and method of testing a transceiver	702/69		702/69
9	X	X	US 2004012260 7 A1	20040624	16	System and method of measuring a signal propagation delay	702/69		702/69
10	X		US 2004012040 9 A1	20040624	22	Impulse response shortening and symbol synchronization in OFDM communication systems	375/260	375/231; 375/350	375/350
11	X		US 2004007124 6 A1	20040415	13	Wireless local area network apparatus	375/354		375/354
12	X		US 2003021075 5 A1	20031113	16	Data and clock synchronization in multi-channel communications	375/354		375/354
13	X		US 2003019830 9 A1	20031023	15	Channel time calibration means	375/354		375/354
14	X		US 2003012878 3 A1	20030710	55	Precision timing generator apparatus and associated methods	375/355		375/355

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
15	X		US 2003011290 9 A1	20030619	16	Apparatus for data recovery in a synchronous chip-to-chip system	375/355		375/355
16	X		US 2003008651 5 A1	20030508	196	Channel adaptive equalization precoding system and method	375/346		375/346
17	X		US 2003007691 0 A1	20030424	36	Correction of code drift in a non-coherent memory	375/354	708/422	375/354
18	X		US 2003001677 0 A1	20030123	195	Channel equalization system and method	375/346		375/346
19	X		US 2002019688 3 A1	20021226	16	Apparatus for data recovery in a synchronous chip-to-chip system	375/355	375/149	375/355
20	X		US 2002018163 3 A1	20021205	121	Means and method for a synchronous network communications system	375/354		375/354
21	X		US 2002007597 6 A1	20020620	38	Precision timing generator system and method	375/354	370/503	375/354

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
22	X		US 2002007150 9 A1	20020613	55	Precision timing generator apparatus and associated methods	375/355		375/355
23	X		US 2001004872 4 A1	20011206	34	Configurable all-digital coherent demodulator system for spread spectrum applications	375/322	375/350	375/350
24	X	X	US 2001004626 6 A1	20011129	149	Apparatus and method for scdma digital data transmission using orthogonal codes and head end modem with no tracking loops	375/259	375/354; 375/371	375/259; 375/354
25	X		US 2001003867 4 A1	20011108	110	MEANS AND METHOD FOR A SYNCHRONOUS NETWORK COMMUNICATIONS SYSTEM	375/355	370/503; 375/371	375/355
26	X	X	US 2001002447 4 A1	20010927	149	Apparatus and method for trellis encoding data for transmission in digital data transmission systems	375/259	375/354	375/259; 375/354

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
27	X		US 2001000800 1 A1	20010712		Switching system and scramble control method	710/316	370/515; 714/781	714/781
28	X	X	US 2001000161 6 A1	20010524	149	Apparatus and method for SCDMA digital data transmission using orthogonal codes and a head end modem with no tracking loops	375/259	375/344	375/259